



Chamäleon GmbH
Rudolf-Diesel-Straße, 8a
69115 Heidelberg-Germany
Tel.: +49-(0)-6221 520440
Fax: +49-(0)-6221 520449
E-mail: info@chamaeleon/produktion.de
http://www.chamaeleon/produktion.de

TECHNICAL DATA SHEET

UNIVERSAL CLEANER

Article number:	27010
Intended use:	Car refinishing Product/ Cleaning agent/ Cleaner
General characteristics:	High quality universal cleaner to remove a-polar and polar contaminations from parts, treated and untreated, of metal and various types of plastic.
Product characteristics:	<ul style="list-style-type: none">▪ Powerful jetspray▪ High dissolving properties▪ Leaves no residue▪ Fast evaporation▪ Non-conductive▪ Non-corrosive▪ 360° valve
Applications:	
Bearings	Machine Parts
Gear Wheels	Garden Tools
Locks Garden	Furniture
Cylinders	Wooden Parts
Rails (Car)	Windows
Fastenings	Floors and walls

Physical and Chemical Characteristics:

Contents	: 400 ml
Basis	: Aliphatic Hydrocarbons
Propellant	: Carbondioxide
VOC-content	: Approximately 94% w/w
Colour	: Transparent
Scent	: Characteristic
Relative density at 20°C	: 0,75 g/ml
Yield	: 3,55 g/sec
Vapour pressure at 20°C	: 5,5 to 6,5 bar
Refractive Index at 20°C	: 1,385



Chamäleon GmbH
Rudolf-Diesel-Straße, 8a
69115 Heidelberg-Germany
Tel.: +49-(0)-6221 520440
Fax: +49-(0)-6221 520449
E-mail: info@chamaeleon/produktion.de
<http://www.chamaeleon/produktion.de>

Usage:

Before use, carefully read the directions on the packaging and act accordingly. The aerosol should have room temperature. Best processing temperature 5 to 30°C. Before use, shake the aerosol.

Before treatment, cover conductive parts and switch off electrical installations. Spray the parts to be treated and allow to take effect. Remove persistent contamination using a brush. Repeat the treatment till the contamination has disappeared. Contaminated universal cleaner should be regarded as chemical waste.

Data: 05, October 2014

This release replaces all eventually earlier issued versions.

For the additional information that is not included to the Technical Data Sheet apply to the supplier: e-mail: info@chamaeleon-produktion.de

See information on safety in Safety Data Sheet.